




BLOCK 10



DESCRIPTION

- (1) (1) 10 mm thickness top panel available in MFC; Optional security glass top 5+5
- 2 16 mm thickness back panel available in MFC.
- (3) **Top** shelf available in 5+5 mm security laminated glass, compact laminate and MFC, supported on moulded aluminium arms.
- 4 Automatic opening aluminium **drawer**
- 5 Aluminium corner trims
- 6 Moulded aluminium feet with levellers and anti-skid pad
- 7 Moulded aluminium handle with lock for both drawer and bottom section
- 8 16 mm MFC doors
- 9 Pull out filing drawer includes a section for hanging files and extra space
- 🔟 65 mm anti-skid quality **castors**, lockable front ones in models



BLOCKS FINISHES (see finishes card)


MFC (19 mm)



C.Laminate (13 mm)

White Wengue

TOP SHELF AND TOP SHELVES FINISHES



Wengue{19 / 39] finishes will be discontinued in Block program at the end of this year.

74,15%

RECYCLED MATERIAL S

100%

RECYCLABLE

ALUMINIUM, STEEL & W00D

100%

RECYCLABLE

PACKAGE AND THINNER

FREE

EASY

TO CLEAN AND MAINTAIN



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.



USE

Quality and warranty. Long lasting. Replacements available.



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.



CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).







PEFC Certificate



AENOR

ER-0597/20 UNE-EN ISO 9001:2008

AENOR

ISO 9001 Certificate



ISO 14001 Certificate



E1 Certificate by EN 13986



PARQUE TECNOLÓGICO ACTIU proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design



www.actiu.com –


BLOCK 20




DESCRIPTION


- 10 mm thickness MFC top panel.
- (2) 16 mm thickness MFC back panel.
- (3) **Top** shelf available in 5+5 mm security laminated glass, compact laminate and MFC, supported on moulded aluminium arms
- 4 Automatic opening aluminium **drawer**
- 5 Aluminium corner trims
- 6 Moulded aluminium feet with levellers and anti-skid pad
- 7 Fixed inner **shelves** 19 mm
- 8 Sliding **doors** available in MFC or 4+4 mm glass with aluminium frame


SIZES












105 cm



BLOCKS FINISHES (see finishes card)

MFC (19 mm)

	N			N	
White	Lime Oak	Maple	Chestnut	Dark oak	Wengu

Wengue [19 / 39] finishes will be discontinued in Block program at the end of this year.



TOP SHELF FINISH



74,15%

RECYCLED MATERIAL S

100%

RECYCLABLE

ALUMINIUM, STEEL & W00D

100%

RECYCLABLE

PACKAGE AND THINNER

FREE

EASY

TO CLEAN AND MAINTAIN



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.



USE

Quality and warranty. Long lasting. Replacements available.



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.



CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).







PEFC Certificate



AENOR

ECODESIGN Certificate

UNE-EN ISO 9001:2008

AENOR

ISO 9001 Certificate



ISO 14001 Certificate



E1 Certificate by EN 13986



PARQUE TECNOLÓGICO ACTIU proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design

BLOCK 30-40

5				
4				
-			9	æ

DESCRIPTION

10 mm thickness top MFC


(2) 16 mm thickness back panel MFC

- (3) Aluminium corner trims
- (4) Moulded aluminium handle with lock for both drawer and bottom section
- (5) 16 mm MFC or 5 mm thick glass with aluminium frame hinged doors. Hinges with 3D adjustment and automatic assembly system

(6) Fixed inner MFC shelf 25mm thickness

- Moulded aluminium feet with levellers and anti-skid pad
- 8 Recessed central **foot**
- 9 Support aluminium profile for 156 and 232cm width models





MFC (19 mm)

	N		N	
White	Lime Oak	Maple	Chestnut Dark oak	Wengue
Wonguo(19 / 39) fini	choc will be discor	tinued in Bl	ock program at the	

Wengue(19 / 39) finishes will be discontinued in Block program at the end of this year.

■ TOP SHELF AND TOP SHELVES FINISHES

Glass			
		DI	
Frosted	White	Blue	Black

74,15%

RECYCLED MATERIALS

100%

RECYCLABLE

ALUMINIUM, STEEL & WOOD

100%

RECYCLABLE

PACKAGE AND THINNER

FREE

EASY

TO CLEAN AND MAINTAIN



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.



USE

Quality and warranty. Long lasting. Replacements available.



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.



CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).





The mark of PEFC Certificate responsable forestry



AENOR

ECODESIGN Certificate

ER-0597/2001

AENOR

ISO 9001 Certificate



ISO 14001 Certificate



E1 Certificate by EN 13986



PARQUE TECNOLÓGICO ACTIU proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design