URBAN BLOCK 20 - BASIC - By ITEM JAVIER CUÑADO -





DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes: **Silver, white, black or chromed**. Protective stacking including in 4 legs model.

■ BACK AND SEAT



5~mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEATS AND BACKS



5 mm polypropylene with 40 % fibre glass in a wide range of colours

STACKING CHAIRS



Stackable chairs - max. 5 units

■ TROLLEY




max. 20 chairs



- ① Back made from 5 mm width polypropylene **(P.P)** with ergonomic fibre glass and transpirations holes
- 2 Steel tubo plate 30 x 15 mm and 1,5 mm width, silver or chromed finishes






6 Graphite caps

DIMENSIONS

Total Height: 870 mm Total Width: 440 mm Total Depth: 535 mm

Seat Height: 450 mm Seat Width: 440 mm Seat Depth: 450 mm

DIMENSIONS



DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours. Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes: Silver, white, black or chromed. Protective stacking including in 4 legs model.

BACK AND SEAT



5~mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEATS AND BACKS



5 mm polypropylene with 40 % fibre glass in a wide range of colours

STACKING CHAIRS



Stackable chairs - max. 5 units

■ TROLLEY



max. 20 chairs



- 1 Back made from 5 mm width polypropylene (P.P) with ergonomic fibre glass and transpirations holes
- 2 Model with arms
- 3 Steel tubo plate 30 x 15 mm and 1,5 mm width, silver or chromed finishes




- 4 Protective stacking
- 5 Steel cylindrical tube in different finishes: Silver, white, black or chromed
- 6 Graphite caps

DIMENSIONS

Total Height: 870 mm Total Width: 440 mm Total Depth: 535 mm

Seat Height: 450 mm Seat Width: 440 mm Seat Depth: 450 mm

DIMENSIONS



DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Frame made from 2 mm thick hotrolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes.

BACK AND SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEATS AND BACKS



5 mm polypropylene with 40 % fibre glass in a wide range of colours

DIMENSIONS

Total Height: 870 mm Total Width: 450 mm Total Depth: 560 mm

Seat Height: 450 mm Seat Width: 440 mm Seat Depth: 450 mm




4





- 3 Protective stacking (including in 4 legs model)
- 4 Steel cylindrical tube.
- (5) Graphite caps

DIMENSIONS





Stackable chairs - max. 4 units

- transpirations holes
- chromed finishes





■ DESCRIPTION

Back and seat: Polypropylene (P.P) with 40 % fibre glass in a wide range of colours.

Frame made from 2 mm thick hot-rolled steel cylindrical tube coated in epoxy 90 microns thickness, with finishes: Silver, white or chromed.

BACK AND SEAT



5 mm polypropylene with 40 % fibre glass in a wide range of colours

■ SEATS AND BACKS




5 mm polypropylene with 40 % fibre glass in a wide range of colours

- (1) Back made from 5 mm width polypropylene (P.P) with ergonomic fibre glass and transpirations holes
- 2 Models without arms
- (3) Steel tubo plate 30 x 15 mm and 1,5 mm width, silver, white or chromed finishes
- 4 Steel cylindrical tube in different finishes: Silver, white or chromed
- 5 Graphite caps

3

DIMENSIONS


INVERTED CANTILEVER



Total Height: 870 mm Total Width: 450 mm Total Depth: 560 mm

Seat Height: 450 mm Seat Width: 440 mm Seat Depth: 450 mm

STANDARD CANTILEVER



Total Height: 870 mm Total Width: 450 mm Total Depth: 560 mm

Seat Height: 450 mm Seat Width: 440 mm Seat Depth: 450 mm



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

1,56% MATERIAL S



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

ΔΙ.UMINIUM, STEEL & W00D



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100% PACKAGE AND THINNER FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY TO CLEAN AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsable forestry



PEFC Certificate

AENOR ED-0011/2010

EN ISO 14006:2011 **ECODESIGN Certificate**



UNE-EN ISO 9001:2008 ISO 9001 Certificate



UNE-EN ISO 14001:2004 ISO 14001 Certificate



E1 Certificate by EN 13986



PARQUE TECNOLÓGICO ACTIU proyecto certificado LEED® GOLD por el U.S. Green Building Council en 2011 Leadership in Energy & Environmental Design

06

STANDARDS

The tests correspond to:

URBAN has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture.

Confident office chair. Standard applied

- UNE-EN 15373:07. Furniture. Resistance, long lasting, security. Requirements for non domestic use seating.
- UNE-EN 1728:01. Domestic furniture Seating Test methods for the determination of strength and durability.