



ARK LAM

QUALITY DOESN'T FEAR TIME

Catálogo técnico de producto

SUPER SIZE

1000x3000

1500x2600


COLLECTION

Slim Thickness - 6 mm



SANICERAMIC GROUP







ARKLAM
QUALITY DOESN'T FEAR TIME



SANICERAMIC GROUP



ARKHAM

SLIM THICKNESS / **6** mm

Arkham collection is a new ceramic concept that provides solutions for interior use with character and personality. Born as a result of a deep study of decorative trends and the most contemporary demands.

Its lightness and large dimensions make it an ideal material for interiors, ventilated facades, as well as for rehabilitation projects. Besides it can be applied directly on the existing surface, saving costs and handling times.

Another of its special characteristics is its thin thickness of 6 mm and its two finishes. Satin matte, highly resistant and ideal for commercial applications and polished, with a mirror reflection that brings depth and elegance.

La colección Arkham es una nueva cerámica que aporta soluciones para interiores con carácter y personalidad, nacida del profundo estudio de las tendencias decorativas y las demandas más contemporáneas.

Su ligereza y sus grandes dimensiones lo convierten en un material idóneo tanto para interiores, fachadas ventiladas, así como para proyectos de rehabilitación, pudiéndose aplicar directamente sobre la superficie ya existente, ahorrando costes y tiempos de manipulación.

Otra de sus características especiales es su fino espesor de 6 mm y sus dos acabados. Mate satinado, altamente resistente e ideal para aplicaciones comerciales, y pulido, con un reflejo de espejo que aporta profundidad y elegancia.

“HARD WORK
IS THE KEY TO SUCCESS.”



SANICERAMIC GROUP

PHILOSOPHY FILOSOFÍA

The creation of ITT, is the result of a project based on our long experience in the ceramic industry, being an established company in the market, with years of experience behind us yet, a company that believes in a work well done and with broad future horizons.

Our philosophy is based on the values of quality work, innovation, expertise and service.

Our main objective is to maintain a preferential and direct contact with all our clients, offering personal attention and dedication that seeks maximum satisfaction, which is the engine of our goals that are reached through perseverance, enthusiasm and involvement.

La creación de ITT, es el resultado de un proyecto basado en nuestra larga experiencia en el sector cerámico, siendo una empresa consolidada en el mercado, con años de experiencia que nos avalan y a la vez, una empresa que cree en el trabajo bien hecho y con un amplio futuro en sus horizontes. Nuestra filosofía de trabajo se basa en los valores de calidad, trabajo, innovación, experiencia y servicio.

Nuestro principal objetivo es mantener un contacto directo y preferente con todos nuestros clientes, ofreciéndoles un trato personal y una dedicación que busca la máxima satisfacción, siendo el trabajo el motor de nuestras metas, el cultivo de una labor dirigida a un claro resultado al que solo se llega a través de la perseverancia, entusiasmo e implicación.

100% Made in Spain

100% Hecho en España

www.ittspain.com

SLIM THICKNESS / **6** mm



INDEX/ÍNDICE

FORMAT/ FORMATO 8


COLLECTIONS/ COLECCIONES 10

OUR GALLERY/ NUESTRA GALERIA 52

PACKING/ EMBALAJE 56

PROPERTIES/ PROPIEDADES 57


TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS 58



COLLECTIONS/ COLECCIONES




ATLANTIS
POLISHED/ SILK



GLACIAR
POLISHED/ SILK



PIER17



ATLANTIS
GOLD
POLISHED/ SILK

NEW



MANHATTAN
SILK



PORTOBELLO
POLISHED/ SILK



BLACK SEA
SILK




NEGRO
MARQUINA
POLISHED/ SILK

NEW



PULPIS
NATURAL
POLISHED/ SILK

NEW



COPENHAGEN
POLISHED/ SILK



ONICE
SUPREME
POLISHED



VILLAGE
POLISHED/ SILK



FORMAT/ FORMATO


1000x3000 mm/
39,4"x 118"



1500x2600 mm/
59"x 103"




750x2600 mm/
29,5"x 103"



ARKLAM is available in the 750x2600, 1500x1500 and 1000x1000 mm cut formats.
Consult your Sales Agent for custom cut options, for different format requests.

ARKLAM esta disponible en los formatos de corte de 750x 2600, de 1500x1500 y de 1000x1000 mm.
Consulta a tu agente de ventas para opciones de corte a medida si necesitas otros formatos.

1500x1500 mm/
59"x 59"



1000x1000 mm/
39,4"x 39,4"



THICKNESS/ ESPESOR



6 mm/ 1/4"



Our product is characterized by being a thin resistant sheet of 6 mm of thickness. This material offers a mechanical and aesthetic performance suitable for different uses. It adapts to interior designs, capable of satisfying the needs of all design projects, since it can be applied as pavement, both interior and exterior, as well as for exterior cladding (ventilated facades).

Nuestro producto se caracteriza por ser una fina lámina resistente de 6 mm de espesor. Este material ofrece unas prestaciones mecánicas y estéticas idóneas para los diferentes usos que se le pretenden dar. Se adapta a un diseño de interiores capaz de satisfacer las necesidades de todos los proyectos de diseño, ya que se puede aplicar como pavimento, tanto interior como exterior, o como revestimiento exterior (fachadas ventiladas).



ATLANTIS

1000x3000 mm/ 39,4"x118"


1500x2600 mm/ 59"x103"

POLISHED/ SILK

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Atlantis Polished 100x300 Rect.
Atlantis Silk 100x300 Rect.



Atlantis Polished 150x260 Rect.
Atlantis Silk 150x260 Rect.

ATLANTIS

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

POLISHED/ SILK

OPENBOOK



Atlantis L Polished 100x300 Rect.
Atlantis L Silk 100x300 Rect.
Atlantis L Polished 150x260 Rect.
Atlantis L Silk 150x260 Rect.




Atlantis R Polished 100x300 Rect.
Atlantis R Silk 100x300 Rect.
Atlantis R Polished 150x260 Rect.
Atlantis R Silk 150x260 Rect.



ATLANTIS

BOOKMATCH & ENDMATCH





ATLANTIS GOLD

1000x3000 mm/ 59"x118"

POLISHED/ SILK

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Atlantis Gold Silk 100x300 Rect.



BLACK SEA

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

SILK

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Black Sea Silk 100x300 Rect.



Black Sea Silk 150x260 Rect.



COPENHAGUEN

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

POLISHED/ SILK

WHITE

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Copenhaguen White Polished 100x300 Rect.
Copenhaguen White Silk 100x300 Rect.



Copenhaguen White Polished 150x260 Rect.
Copenhaguen White Silk 150x260 Rect.



COPENHAGUEN


1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

POLISHED/ SILK

GREY

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Copenhaguen Grey Polished 100x300 Rect.
Copenhaguen Grey Silk 100x300 Rect.



Copenhaguen Grey Polished 150x260 Rect.
Copenhaguen Grey Silk 150x260 Rect.




GLACIAR


1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

POLISHED/ SILK



Glaciар Polished 100x300 Rect.
Glaciар Silk 100x300 Rect.



Glaciар Polished 150x320 Rect.
Glaciар Silk 150x320 Rect.





MANHATTAN

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

SILK

GREY

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Manhattan Grey Silk 100x300 Rect.



Manhattan Grey Silk 150x260 Rect.



MANHATTAN

1000x3000 mm/ 39,4"x118"
1500x2600 mm/ 59"x103"

SILK GRAPHITE

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Manhattan Graphite Silk 100x300 Rect.



Manhattan Graphite Silk 150x260 Rect.



MANHATTAN

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

SILK

WHITE

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Manhattan White Silk 100x300 Rect.



Manhattan White Silk 150x260 Rect.

MANHATTAN

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

SILK

BEIGE

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Manhattan Beige Silk 100x300 Rect.



Manhattan Beige Silk 150x260 Rect.



NEGRO MARQUINA

1000x3000 mm/ 39,4"x118"

POLISHED/SILK

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Negro Marquina Polished 100x300 Rect.
Negro Marquina Silk 100x300 Rect.



ONICE SUPREME POLISHED 100X300 RECT.



ONICE SUPREME POLISHED 100X300 RECT.

ONICE SUPREME

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

POLISHED

6 DIFFERENT DESIGNS/ 6 DISEÑOS DIFERENTES



Onice Supreme Polished 100x300 Rect.



Onice Supreme Polished 150x260 Rect.



PIER17

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

COPPER

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Pier17 Copper 100x300 Rect.



Pier17 Copper 150x260 Rect.



PIER17

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

ZINC

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Pier17 Zinc 100x300 Rect.



Pier17 Zinc 150x260 Rect.



PORTOBELLO

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

POLISHED/ SILK

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Portobello Polished 100x300 Rect.
Portobello Silk 100x300 Rect.



Portobello Polished 150x260 Rect.
Portobello Silk 150x260 Rect.



PULPIS

1000x3000 mm/ 39,4"x118"

POLISHED/ SILK

8 DIFFERENT DESIGNS/ 8 DISEÑOS DIFERENTES



Pulpis Natural Polished 100x300 Rect.
Pulpis Natural Silk 100x300 Rect.



VILLAGE

1000x3000 mm/ 39,4"x118"

1500x2600 mm/ 59"x103"

POLISHED/ SILK


4 DIFFERENT DESIGNS/ 4 DISEÑOS DIFERENTES




Village Polished 100x300 Rect.
Village Silk 100x300 Rect.




Village Polished 150x260 Rect.
Village Silk 150x260 Rect.







ATLANTIS
POLISHED/ SILK



ATLANTIS GOLD
POLISHED/ SILK



GLACIAR
POLISHED/ SILK



COPENHAGUEN WHITE
POLISHED/ SILK




MANHATTAN WHITE
SILK



MANHATTAN GREY
SILK




ONICE SUPREME
POLISHED



PORTOBELLO
POLISHED/ SILK



VILLAGE
POLISHED/ SILK



COPENHAGUEN GREY
POLISHED/ SILK



MANHATTAN BEIGE
SILK



MANHATTAN GRAPHITE
SILK




PIER17 ZINC



PIER17 COPPER



PULPIS NATURAL
POLISHED/ SILK



BLACK SEA
SILK



NEGRO MARQUINA
POLISHED/ SILK

		1500x2600		1000x3000	
		6 mm		6 mm	
COLLECTIONS		Polished	Silk	Polished	Silk
ATLANTIS		●	●	●	●
ATLANTIS GOLD				●	●
BLACK SEA			●		●
COPENHAGUEN		●	●	●	●
		●	●	●	●
GLACIAR		●	●	●	●
MANHATTAN			●		●
			●		●
			●		●
			●		●
NEGRO MARQUINA				●	●
ONICE SUPREME		●		●	
PIER17			●		●
			●		●
PORTOBELLO		●	●	●	●
PULPIS NATURAL				●	●
VILLAGE		●	●	●	●

PACKING/ EMBALAJE

FORMAT FORMATO	BOXES CAJAS			PALET PALLET			
	PIECES PIEZAS	M2	NET WEIGHT PESO NETO (Kg)	PIECES PIEZAS	M2	NET WEIGHT PESO NETO (Kg)	GROSS WEIGHT PESO BRUTO (Kg)
1000x3000 mm 39,4"x118"	1	3	42,07	20	60	841,40	936,72
1500x2600 mm 59"x59"	1	3,90	56,25	16	62,4	900	1076,5
750x2600 mm 29,5"x103"	1	1,95	28,12	32	62,4	900	1073,77
1500x1500 mm 59"x59"	1	2,25	32,00	24	54,0	768	862,06
1000x1000 mm 39,4"x39,4"	2	2	29,10	48	48,0	698,40	750,20

FORMAT FORMATO	PALLET DIMENSIONS DIMENSIONES PALET (mm)		
	HEIGHT ALTO	LENGTH LARGO	WIDHT ANCHO
1000x3000 mm/ 39,4"x118"	305	3180	1120
1500x2600 mm/ 59"x103" 750x2600 mm/ 29,5"x103"	360	2860	1620
1500x1500 mm/ 59"x59"	365	1620	1620
1000x1000 mm/ 39,4"x39,4"	630	1120	1120

PROPERTIES/ PROPIEDADES



	Highly UV Resistant/ Resistente a los rayos UV		Resistant to scratches/ Resistencia al rayado
	Frost resistance/ Resistente a las heladas		Resistant to stains/ Resistente a las manchas
	Waterproof/ Impermeable		Recyclable/ Reciclable
	Resistance to chemical attack/ Resistente a altas temperaturas		Easy to clean/ Fácil de limpiar
	Lightness/ Ligereza		Resistant to scratches/ Resistencia al ataque químico

CERTIFICATIONS/ CERTIFICADOS

	CE Marking declares conformity of our products with the technical and legal requirements for safety. - Marcado CE que declara la conformidad de todos nuestros productos con los requisitos legales y técnicos en materia de seguridad. - Marquage CE, qui déclare la conformité de tous nos produits aux exigences légales et techniques en matière de sécurité. - CE-Kennzeichnung, mit der die Konformität unserer Produkte mit den rechtlichen und technischen Sicherheitsanforderungen erklärt wird.
	CCC Certificate that guarantees that our products meet the standard of radioactivity. - Certificado CCC que avala que nuestros productos cumplen con el estándar de radioactividad. - Certificat CCC, qui atteste que nos produits satisfont aux normes sur la radioactivité. - Die CCC-Zertifizierung bescheinigt, dass unsere Produkte den Radioaktivitätsstandard erfüllen.
	Certificate of content in COVs (Volatile substances) which states that our products are exempt and belong to type A+. - Certificado del contenido en COV's (Sustancias volátiles) que declara que nuestros productos están exentos y son de tipo A+. - Certificat de la teneur en COV (substances volatiles), qui confirme que nos produits en sont exempts et sont de type A+. - Zertifizierung zum Inhalt an VOCs (flüchtige organische Verbindungen), mit der bescheinigt wird, dass unsere Produkte keine solchen Verbindungen enthalten und vom Typ A+ sind.

TECHNICAL CHARACTERISTICS/
CARACTERÍSTICAS TÉCNICAS

	TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS SEGÚN NORMAS	REFERENCE STANDARD/ NORMA DE REFERENCIA	VALUE REQUIRED/ VALOR REQUERIDO	MEAN VALUE/ VALOR MEDIO OBTENIDO
--	--	--	--	--

DIMENSIONAL CHARACTERISTICS Permissible deviation from work size. CARACTERÍSTICAS DIMENSIONALES Desviación admisible respecto de la dimensión de fabricación.	Length and width/ Longitud y anchura	EN-ISO 10545-2	± 0,6 % / ± 2,0 mm	± 0,6 % / ± 2,0 mm
	Thickness/ Grosor		± 5 % / ± 0,5 mm	± 5 % / ± 0,5 mm
	Warpages of edges/ Rectitud de los lados		± 0,5 % / ± 1,5 mm	± 0,5 % / ± 1,5 mm
	Wedging/ Ortogonalidad		± 0,6 % / ± 2,0 mm	± 0,6 % / ± 2,0 mm
	Flatness/ Planaridad		± 0,5 % / ± 2,0 mm	± 0,5 % / ± 2,0 mm

CHEMICAL CHARACTERISTICS CARACTERÍSTICAS QUÍMICAS	Resistance to household cleaning products and swimming pool additives/ Resistencia a productos domésticos de limpieza y aditivos de piscina.	EN-ISO 10545-13	GB Min./ Mín. GB	Resist (GA)/ Resiste (GA)
	Resistance to acids and bases in low concentration/ Resistencia a ácidos y bases en baja concentración.	EN-ISO 10545-13	As indicated by manufacturer/ Indicada por el fabricante	Resist (GLA)/ Resiste (GLA)
	Resistance to staining/ Resistencia a las manchas.	EN-ISO 10545-14	Class 3 min./ Mín. Clase 3	Class 5/ Clase 5

	TECHNICAL CHARACTERISTICS/ CARACTERÍSTICAS TÉCNICAS SEGÚN NORMAS	REFERENCE STANDARD/ NORMA DE REFERENCIA	VALUE REQUIRED/ VALOR REQUERIDO	MEAN VALUE/ VALOR MEDIO OBTENIDO
--	--	--	--	---

PHYSICAL CHARACTERISTICS CARACTERÍSTICAS FÍSICAS	Water adsorption/ Absorción al agua	EN-ISO 10545-3	≤ 0,5 %	≤ 0,2 %
	Breaking strength/ Fuerza de rotura	EN-ISO 10545-4	≥ 700 N	Standard overtakes/ Supera la norma
	Bending strength/ Resistencia a la flexión	EN-ISO 10545-4	≥ 35 N / mm²	Standard overtakes/ Supera la norma
	Resistance to deep abrasion / Resistencia a la abrasión profunda	EN-ISO 10545-6	≤ 175 mm²	≤ 135 mm²
	Resistance to abrasion utility/ Resistencia a la abrasión	EN-ISO 10545-7	As indicated by manufacturer/ Indicada por el fabricante	3 - 5
	Lineal thermal expansion/ Dilatación Térmica lineal	EN-ISO 10545-8	Method available/ Método disponible	≤ 9 X 10 ⁻⁶ K ⁻¹
	Thermal shock resistance/ Resistencia al choque térmico	EN-ISO 10545-9	Method available/ Método disponible	Resist/ Resiste
	Mohs surface hardness/ Dureza Mohs	EN 101	-	5 - 9
	Frost resistance/ Resistencia a la helada	EN-ISO 10545- 12	Required/ Exigida	Resist/ Resiste



ARKLAM

Together on social networks
Juntos en las redes sociales



ITT reserves the right to make changes in this catalogue for the benefit of the product and the customer. All names, measures and benchmarks of the pieces are also available on the website, this avoiding typographical error that may have occurred at the time of printing this catalogue. Due to printing processes, the colors of the pieces represented, may have a slight variation from the original color.

ITT se reserva el derecho de introducir modificaciones en éste catálogo en beneficio del producto y del cliente. Todos los nombres, medidas y referencias de las piezas se encuentran también disponibles en nuestra página web, evitando de este modo errores tipográficos que se hayan podido producir a la hora de imprimir este catálogo. Debido a los procesos de impresión, los colores de las piezas representadas, pueden sufrir una leve variación respecto al color original.

www.ittspain.com | ittspain@ittspain.com

Tel.: 0034 964 626 309 | Fax.: 0034 964 657 426
Ctra. de Alcora, Km. 7,5 | 12130 San Juan de Moró
Castellón (Spain)



www.ittspain.com
ittspain@ittspain.com

Tel.: 0034 964 626 309
Fax.: 0034 964 657 426

Ctra. de Alcora, Km. 7,5
12130 San Juan de Moró
Castellón (Spain)

